




STEP 1: Use a Smartphone to search the Kasda Router's WiFi network named "**Kasda xxxx KWyyyy**" or "**Kasda xxxx-5G KWyyyy**" (xxxx is the last 4 digits of MAC address, yyyy is the model number), and connect to it (make sure the status is **Connected**), you could find its **WiFi Network Name** and **default WiFi Password** from the device label on the bottom of the router.




STEP 2: Open a internet browser, and input website: mykasda.com, you will see below page, then set up your **Login password** (this password is for later access to router setup page, so please remember it). Then click **Next** button.




STEP 3: Select **WAN connection mode**, then click **Next** button.

- 1) If ISP provided you Username and Password for internet access, then select **PPPoE**.
- 2) If ISP did not provide you anything, then select **DHCP**. (Default option, most frequently selected)
- 3) If ISP provided you with Static IP address info, then select **Static IP**.




STEP 4: Wireless Setup: (For single band model KW5515, there is only 2.4G Wifi network)

Set up your own **WiFi network name (SSID)** and **WiFi password** for both 2.4G and 5G networks (The default password is 12345678), then click **Next** button.






STEP 5: Click **Save/Apply** button to save the settings, then wait 20-30 seconds for settings to take effect.

If you **changed** the **WiFi Network name** or **WiFi Password** during setup, the WiFi connection between Smartphone and Kasda router will be disconnected automatically, you need to have your Smartphone reconnect to the router's new **WiFi network name** with new **WiFi password**. Then you will have internet access.





Important Tips:

- 1) If you still don't have internet access after finished above settings, please reboot both your cable modem (**just unplug the power adapter and replug it to power socket**), so the Cable modem will assign IP address to the router successfully, this situation mostly happened while you are using a Cable modem.
- 2) If you cannot open the login website successfully, please try to reset the router to factory default settings, you can find a **Reset button** on the back of the Router, use a needle or ballpen to push the **Reset button** for 5-6 seconds (keep the router power on), then release it, the router will reboot automatically, you can try again.
- 3) You can still access to the router web page with **mykasda.com** after the first time setup, and you will be asked to input the Login password you set in **STEP 2**, click **Next** button, you will enter the **Status** page.



You can also manage the **WAN Settings**, **Wireless Settings** and **LAN Settings** easily in this interface.



Still have a question? Send an email to admin@kasdanet.com, we will respond soonest.